NEUROSCIENCE LETTERS

Vol. 169 Nos. 1,2 **CONTENTS** **MARCH 14th, 1994**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Guidelines for the Submission of Manuscripts v

The role of dopamine D_1-receptors in morphine-induced hyperlocomotion in mice
M. Funada, T. Suzuki and M. Misawa (Japan) 1

Estrogen affects calcitonin gene-related peptide- and methionine-enkephalin-immunoreactive neuron in the female rat preoptic area
K. Yuri and M. Kawata (Japan) 5

Immunoreactive changes resulting from dopaminergic denervation of the dentate gyrus of the rat hippocampal formation
R.M. Torack and J.W. Miller (USA) 9

Short-latency excitation of hindlimb motoneurons induced by electrical stimulation of the pontomesencephalic tegmentum in the rat
F. Baldissera, S.D. Loreto, T. Florio and E. Scarnati (Italy) 13

Anatomical data supporting the concept of prefrontal influences upon hypothalamo-medullary relays in the rat
S.G.P. Hardy (USA) 17

The up-regulation of trkA and trkB in dorsal column astrocytes following dorsal rhizotomy
D.R. Foschini, A.M. Kestler, M.D. Egger and D.P. Crockett (USA) 21

Evidence for a regional distribution of hyaluronic acid in the rat brain using a highly specific hyaluronic acid recognizing protein
K. Fuxe, B. Tinner, G. Chadi, A. Härfstrand and L.F. Agnati (Sweden, Italy) 25

Viability of the neonatal rat isolated brainstem preparation by ^{31}P MRS
M.D. Burton, B.M. Hitzig and D.C. Johnson (USA) 31

Central mediation of tracheal pressure through H_1 and H_2 receptors after histamine administration to the fourth ventricle of anesthetized rabbit
M. Kanamaru, M. Iwase and I. Homma (Japan) 35

A mechanosensitive K^+ channel with fast-gating kinetics on human axons blocked by gadolinium ions
S. Quasthoff (Germany) 39

Stimulatory effects of the central amygdaloid nucleus on pancreatic exocrine secretion in rats
S.J. Hahn, S.H. Yoon, S.S. Sim, D.J. Rhie, Y.H. Jo and M.S. Kim (Korea) 43

Nerve growth factor induces *trk*A mRNA expression in cultured basal forebrain cholinergic neurons from 17-day fetal rats
M. Kojima, T. Ikeuchi and H. Hatanaka (Japan) 47

Distribution of NADPH-diaphorase in the perioesophageal ganglia of the snail, *Helix aspersa*
M. Sánchez-Alvarez, M. León-Olea, E. Talavera, F. Pellicer, E. Sánchez-Islas and G. Martínez-Lorenzana (Mexico) 51

Temperature dependence of synaptic modulation by a FMRFamide-related neuropeptide in crayfish
R.W. Friedrich, P.A. Quigley, M. Srivastava, M. Skerrett and A.J. Mercier (Canada) 56

Adenosine 5′-triphosphate (ATP), the neurotransmitter in the prostatic portion of the longitudinal muscle layer of the rat vas deferens
M.V. Donoso, F. Bates, J. Montiel and J.P. Huidobro-Toro (Chile) 59

In vivo microdialysis of corticotropin releasing factor (CRF): calcium dependence of depolarization-induced neurosecretion of CRF
R.W. Gabr, W.E. Gladfelter, D.L. Birkle and A.J. Azzaro (USA) 63

A detailed anatomical analysis of neurotransmitter receptors in the putamen and caudate in Parkinson's disease and Alzheimer's disease
P.D. Griffiths, R.H. Perry and A.R. Crossman (UK) 68

Immunohistochemical demonstration of embryonic expression of an odor receptor protein and its zonal distribution in the rat olfactory epithelium
H. Koshimoto, K. Katoh, Y. Yoshihara, Y. Nemoto and K. Mori (Japan) 73

Increase in extracellular NCAM and amyloid precursor protein following induction of long-term potentiation in the dentate gyrus of anaesthetized rats
M.S. Fazeli, K. Breen, M.L. Errington and T.V.P. Bliss (UK, Ireland) 77

Increased nitric oxide synthase immunoreactivity in rat dorsal root ganglia in a neuropathic pain model
J.H. Steel, G. Terenghi, J.M. Chung, H.S. Na, S.M. Carlton and J.M. Polak (UK, USA) 81

cDNA cloning of a G-protein-coupled receptor expressed in rat spinal cord and brain related to chemokine receptors
J.K. Harrison, C.M. Barber and K.R. Lynch (USA) 85

Tityustoxin-mediated Na^+ influx is more efficient than KCl depolarisation in promoting Ca^{2+}-dependent glutamate release from synaptosomes
M.A. Romano-Silva, R. Ribeiro-Santos, M.V. Gomez, T. Moraes-Santos and M.J. Brammer (UK, Brazil) 90

Anticonvulsant activity of the noradrenergic locus coeruleus system: role of beta mediation
G. Ferraro, P. Sardo, M. Sabatino, G. Caravaglios and V. La Grutta (Italy) 93

Mdx mouse skeletal muscle: could a mitochondrial factor be responsible for the absence of progressive necrosis?
B. Lucas-Heron, N. Schmitt and B. Ollivier (France) 97
Androgens and indoleamines interact to control sexual dimorphisms in the rat spinal cord
P.J. Cowburn and A.P. Payne (UK) 101
Inhibition of autoradiographic MK-801 binding by an endogenous factor
R.H.P. Porter and J.T. Greenamyre (USA) 105
Effect of dithiothreitol on lipid peroxidation induced modification of NMDA receptor in fetal guinea pig brain
R. Goel, O.P. Mishra and M.D. Papadopoulos (USA) 109
Neuroprotective effects of colchicine in the gerbil model of cerebral ischaemia
J. Pratt, M. Roux, E. Henneguelle, J.-M. Stutzmann and P.M. Laduron (France) 114
Variability in the occurrence of ongoing discharges in primary afferents originating in the neuroma after peripheral nerve section in different strains of rats
J.-X. Hao and Z. Wiesenfeld-Hallin (Sweden) 119
Genetic factors may influence the development of spinal reflex hyperexcitability following sciatic nerve section in the rat
L. Luo and Z. Wiesenfeld-Hallin (Sweden) 122
Unaltered aconitase activity, but decreased complex I activity in substantia nigra pars compacta of patients with Parkinson's disease
B. Janetzky, S. Hauck, M.B.H. Youdim, P. Riederer, K. Jellinger, F. Pantucek, R. Zöchling, K.W. Boissl and H. Reichmann (Germany, Israel, Austria) 126
Comparison of effects of bilateral injections of bicuculline and muscimol into the caudate-putamen of amygdaloid-kindled rats
N. Mori and M. Watanabe (Japan) 129
Differences in β-amyloid (β/A4) deposition in human patients with Down's syndrome and sporadic Alzheimer's disease
R.A. Armstrong (UK) 133
Localization of the glutamate transporter GLT-1 in rat and macaque monkey retinae
T. Rauen and B.I. Kanner (FRG, Israel) 137
Heteronymous recurrent inhibition from gastrocnemius muscle to soleus motoneurones in humans
A. Rossi, A. Zalaffi and B. Decchi (Italy) 141
Potential flow of frontal midline theta activity during a mental task in the human electroencephalogram
T. Inouye, K. Shinosaki, A. Iyama, Y. Matsumoto, S. Toi and T. Ishihara (Japan) 145
Tachykinergic synaptic inputs to neurons of the medial preoptic region which project to the rat arcuate nucleus
R. Magoul, P. Dubourg, O. Kah and G. Tramu (France) 149
Time course of cholinergic and monoaminergic changes in rat brain after immunolesioning with 192 IgG-saporin
J.J. Waite, M.L. Wardlow, A.C. Chen, D.A. Lappi, R.G. Wiley and L.J. Thal (USA) 154
Effect of active transport on distribution and concentration gradients of [^{3}H]benzylpenicillin in the cerebrospinal fluid
N. Strikić, M. Klarica, A. Vladić and M. Bulat (Croatia) 159
Multiple sources of the pituitary pars intermedia innervation in amphibians: a DiI retrograde tract-tracing study
C. Artero, A. Fasolo and M.F. Franzoni (Italy) 163
Characterization of a voltage-dependent anionic channel in fused synaptosomes isolated from rat hippocampi
Y. Hosokawa, G. Sandri, E. Panfili and E. Cherubini (Italy) 167
Trans-(±)-1-amino-1,3-cyclopentanedicarboxylate (trans-ACPD) stimulates cAMP accumulation in rat cerebral cortical slices but not in glial or neuronal cell cultures
A. Pilc, B. Legutko, T. Frankiewicz and A. Czyrak (Poland, Kuwait) 171
Lack of association between apolipoprotein E allele ε4 and sporadic Alzheimer's disease
L. Lannfelt, L. Lilius, M. Nastase, M. Viitanen, L. Fratiglioni, G. Eggertsen, L. Berglund, B. Angelin, J. Linder, B. Winblad and H. Basun (Sweden) 175
APOE genotype does not modulate age of onset in families with chromosome 14 encoded Alzheimer's disease
C. Van Broeckhoven, H. Backhovens, M. Cruts, J.J. Martin, R. Crook, H. Houlden and J. Hardy (Belgium, USA, UK) 179
Gabapentin increases GABA-induced depolarization in rat neonatal optic nerve
J.D. Kocsis and O. Honmou (USA) 181
Effects of diadenosine polyphosphates on sodium nitroprusside-induced soluble guanylate cyclase activity in rat cerebellum
J.G. Gu and J.D. Geiger (Canada) 185
Amflutizole, a xanthine oxidase inhibitor, inhibits free radical generation in the ischemic/reperfused rat cerebral cortex
J.W. Phillis, S. Sen and X. Cao (USA) 188
The medullary rostral ventrolateral pressor region: an electrophysiological study in decerebrate rat
A. Frugière and J.-C. Barillot (France) 191
Striatal G-proteins: effects of unilateral 6-hydroxydopamine lesions
E.R. Marcotte, R.M. Sullivan and R.K. Mishra (Canada) 195
Quantal properties of S-type glutamatergic synaptic input to the striatal medium spiny neuron from neonate rat
A. Mori, T. Takahashi, Y. Miyashita and H. Kasai (Japan) 199
Cerebral ischemia-induced amplification phenomenon of somatosensory evoked potentials in cats
K. Isozumi, Y. Fukuuchi, H. Takeda and Y. Itoh (Japan) 203
Potassium efflux from infant and adult rat choroid plexuses: effects of CSF anion substitution, *N*-ethylmaleimide and Cl transport inhibitors
C.E. Johanson and J.E. Preston (USA) 207

GABA as an inhibitory transmitter in the pigeon isthmo-tectal pathway
D. Felix, G.-Y. Wu and S.-R. Wang (Switzerland, China) 212

N-Methyl-D-aspartate receptors modulate extracellular 5-hydroxy- tryptamine concentration in rat hippocampus and striatum in vivo
P.S. Whitton, D.A. Richards, C.S. Biggs and L.J. Fowler (UK) 215

Excitotoxins L-β-oxalyl-amino-alanine (L-BOAA) and 3,4,6-trihydroxyphenylalanine (6-OH-DOPA) inhibit [^{3}H]α-amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid (AMPA) binding in human hippocampus
G. Künig, J. Hartmann, B. Niedermeyer, J. Deckert, G. Ransmayr, H. Heinsen, H. Beckmann and P. Riederer (FRG, Austria) 219

Distribution of calmodulin, calbindin-D28k and calretinin among rat olfactory nerve bundles
E. Bastianelli and R. Pochet (Belgium) 223

Book review 227

Author Index 228